Division of Health Care Facilities

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE	(X3) DATE SURVEY	
					COMPLETED		
TN7510		B. WING			07/29/2020		
NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 205 HAYNES DRIVE MURFREESBORO, TN 37129							
040.15	PROUBERS PLAN OF CORPECTION						
(X4) ID PREFIX TAG	(EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	(EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		COMPLETE DATE	
N 000 Initial Comments		N 000					
	N 000 Initial Comments A COVID-19 Focused Infection Control Survey and complaint investigation for #50404 was conducted on July 29, 2020 at Stones River Manor. No deficiencies were cited related to the COVID-19 FOCUS Infection Control Survey or complaint investigation #50404 under Chapter 1200-8-6, Standards for Nursing Homes.				9		
					2		

Division of Health Care Facilities LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE